Printing date 11/07/2022 Reviewed on 11/07/2022

1 Identification

· Product identifier

· Trade name: LANTHANUM NITRATE HEXAHYDRATE

· Article number: 17300

· CAS Number: 10277-43-7

- · Application of the substance / the mixture Laboratory chemicals
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Electron Microscopy Sciences 1560 Industry Road

USA-Hatfield, PA 19440

Tel: 215-412-8400 Fax: 215-412-8450

email: info@emsdiasum.com www.emsdiasum.com

- · Information department: Product safety department
- · Emergency telephone number:

ChemTrec 1-800-424-9300 Contract CCN7661

1-703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



GHS03 Flame over circle

Oxidizing Solids 2 H272 May intensify fire; oxidizer.



GHS07

Acute Toxicity - Oral 4 H302 Harmful if swallowed.

Acute Toxicity - Dermal 4 H312 Harmful in contact with skin.

Acute Toxicity - Inhalation 4 H332 Harmful if inhaled.

Eye Irritation 2B H320 Causes eye irritation.

- · Label elements
- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS03

GHS07

- · Signal word Danger
- · Hazard-determining components of labeling:

Lanthanum Nitrate Hexahydrate

· Hazard statements

May intensify fire; oxidizer.

Harmful if swallowed, in contact with skin or if inhaled.

(Contd. on page 2)

Reviewed on 11/07/2022 Printing date 11/07/2022

Trade name: LANTHANUM NITRATE HEXAHYDRATE

(Contd. of page 1)

Causes eye irritation.

· Precautionary statements

Keep away from heat.

Keep/Store away from clothing/combustible materials.

Take any precaution to avoid mixing with combustibles.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Specific treatment (see on this label).

Rinse mouth.

Take off contaminated clothing and wash it before reuse.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep cool.

Store away from oxidizing agents.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- NFPA ratings (scale 0 4)



Health = 2Fire = 0Reactivity = 2

The substance possesses oxidizing properties.

· HMIS-ratings (scale 0 - 4)



Health = 2

Fire = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description

10277-43-7 Lanthanum Nitrate Hexahydrate

Printing date 11/07/2022 Reviewed on 11/07/2022

Trade name: LANTHANUM NITRATE HEXAHYDRATE

(Contd. of page 2)

4 First-aid measures

- · Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/surface or ground water.
- · Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

Troveen enteres enteres jurientes	
· PAC-1:	
	1.3 mg/m^3
· PAC-2:	
	15 mg/m³
· PAC-3:	

- 08

 89 mg/m^3

Printing date 11/07/2022 Reviewed on 11/07/2022

Trade name: LANTHANUM NITRATE HEXAHYDRATE

(Contd. of page 3)

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 11/07/2022 Reviewed on 11/07/2022

Trade name: LANTHANUM NITRATE HEXAHYDRATE

· Eye protection:



Tightly sealed goggles

9 Physical and chemical proper	ties
· Information on basic physical and of General Information	chemical properties
· Appearance: Form:	Constalling
Form: Color:	Crystalline White
	wnue Odorless
· Odor through olds	Not determined.
· Odor threshold:	
· pH-value:	Not applicable.
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	40 °C (104 °F) Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Contact with combustible material may cause fire.
· Decomposition temperature:	Not determined.
· Auto igniting:	Not determined.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not applicable.
· Density:	Not determined.
· Relative density	Not determined.
Vapor density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with Water:	Soluble.
· Partition coefficient (n-octanol/wate	
,	
· Viscosity:	N-41: - 1.1 -
Dynamic:	Not applicable.
Kinematic:	Not applicable.
VOC content:	0.00 %
Solids content:	100.0 %
· Other information	No further relevant information available.

Printing date 11/07/2022 Reviewed on 11/07/2022

Trade name: LANTHANUM NITRATE HEXAHYDRATE

(Contd. of page 5)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

OSHA-Ca (Occupational Safety Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

IIS

Reviewed on 11/07/2022 Printing date 11/07/2022

Trade name: LANTHANUM NITRATE HEXAHYDRATE

(Contd. of page 6)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

110			7.0
141	ranspor	t into	rmation

	TIAI	Num	L
•	1 / / V =	/ VIIIM	nvr

· IMDG, IATA

· DOT, ADR, IMDG, IATA

UN1477

· UN proper shipping name

 $\cdot DOT$

Nitrates, inorganic, n.o.s.

1477 NITRATES, INORGANIC, N.O.S. NITRATES, INORGANIC, N.O.S.

- · Transport hazard class(es)
- $\cdot DOT$



· Class

5.1 Oxidizing substances

· Label

· ADR, IMDG, IATA



· Class · Label 5.1 Oxidizing substances

· Packing group

· DOT, ADR, IMDG, IATA

II

· Environmental hazards:

Not applicable.

· Special precautions for user

Warning: Oxidizing substances

· EMS Number:

F-A

· Stowage Category

· Segregation Code

SG38 Stow "separated from" SGG2-ammonium compounds. SG49 Stow "separated from" SGG6-cyanides

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code

Not applicable.

(Contd. on page 8)

Printing date 11/07/2022 Reviewed on 11/07/2022

Trade name: LANTHANUM NITRATE HEXAHYDRATE

Transport/Additional information:		(Contd. of pag
DOT		
Quantity limitations	On passenger aircraft/rail: 5 kg	
2 ,	On cargo aircraft only: 25 kg	
ADR		
Excepted quantities (EQ)	Code: E2	
	Maximum net quantity per inner packaging: 30 g	
	Maximum net quantity per outer packaging: 500 g	
IMDG		
Limited quantities (LQ)	l kg	
Excepted quantities (EQ)	Code: E2	
	Maximum net quantity per inner packaging: 30 g	
	Maximum net quantity per outer packaging: 500 g	
UN "Model Regulation":	UN 1477 NITRATES, INORGANIC, N.O.S., 5.1, II	

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is listed.

· TSCA (Toxic Substances Control Act):

Substance is not listed.

· Hazardous Air Pollutants

Substance is not listed.

- · Proposition 65
- · Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value)

Substance is not listed.

(Contd. on page 9)

Printing date 11/07/2022 Reviewed on 11/07/2022

Trade name: LANTHANUM NITRATE HEXAHYDRATE

(Contd. of page 8)

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

- GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS03

- · Signal word Danger
- Hazard-determining components of labeling:

Lanthanum Nitrate Hexahydrate

· Hazard statements

May intensify fire; oxidizer.

Harmful if swallowed, in contact with skin or if inhaled.

Causes eye irritation.

· Precautionary statements

Keep away from heat.

Keep/Store away from clothing/combustible materials.

Take any precaution to avoid mixing with combustibles.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Specific treatment (see on this label).

Rinse mouth.

Take off contaminated clothing and wash it before reuse.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep cool.

Store away from oxidizing agents.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Contact:
- · Date of preparation / last revision 11/07/2022 / -
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

(Contd. on page 10)

Printing date 11/07/2022 Reviewed on 11/07/2022

Trade name: LANTHANUM NITRATE HEXAHYDRATE

(Contd. of page 9)

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Oxidizing Solids 2: Oxidizing solids – Category 2 Acute Toxicity - Oral 4: Acute toxicity – Category 4

Eye Irritation 2B: Serious eye damage/eye irritation - Category 2B